


Unit 7, Castle Industrial Centre, Queensferry road, Dunfermline, Fife, KY11 8PX, SCOTLAND  
 Tel 44(0)1383 626659 Fax: 44(0)1383 626828 [mail@submertec.co.uk](mailto:mail@submertec.co.uk)

## 150w Ballasted Metal Halide Underwater Floodlight

### GUARDIAN Model UFL-150MH-B



Initially manufactured for use on submersibles, these very efficient lights provide extremely bright, even illumination over a wide area and are ideal for a wide range of applications.

Metal Halide lights provide 4 to 5 times more light output than a Halogen lamp of the same power and an average life of up to 10 times longer.

This UFL-150MH-B version of the light has an integral electronic ballast which allows the floodlight to operate with long supply cables if required.

Supply voltage options are 120 VAC, 120 VDC or 240 VAC.


Please note that the AC supply must be protected against electrical hazard by means of a suitable RCD or ELCB.

These lights are normally supplied with the underwater cable moulded to a right angle or straight penetrator as shown in the photographs although underwater connectors can be fitted on request.

Metallic parts are manufactured from Aluminium Bronze for long term, corrosion free installation into Marine Aquaria, docks etc. A Stainless Steel version is available for use in fuel storage ponds etc.

Underwater cables with a tough Polyurethane jacket can be supplied in any reasonable length required.

Four 8mm diameter fixing holes in the base allow the light to be bolted in position or alternatively, a bracket similar to that in the photograph can be supplied for suspension by the cable.



UNDERWATER FLOODLIGHT SPECIFICATION	
Diameter	Body 175mm / Base flange 200mm
Overall length	147mm
Weight	5.3 Kg (11.7 lb)
Depth Rating	10 Metres (33 feet)
Material	Aluminium Bronze or 316 Stainless Steel
Beam Angle	138 degrees
Lamp type	Osram or Radium HQI T 150
Power Supply Options	120 VAC, 120 VDC or 220 VAC.

A range of Guardian underwater lights are available to suit different applications—please visit our web site at [www.submertec.co.uk](http://www.submertec.co.uk) to view these together with other Submertec products.